

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	(SATO-TOMOTOSHI).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:17
L2	75	"709"\$.ccls. and (manag\$4 configur\$4).ti. and (select\$4 choos\$3 elect\$4 vot\$4).ab. and print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:22
L3	22	"709"\$.ccls. and ((select\$3 choos\$3 vot\$4) and (configur\$4 manag\$4) and (group\$1 cluster \$1)).ab. and print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:23
L4	6	"709"\$.ccls. and (manag\$4 configur\$4).ti. and ((select\$4 choos\$3 elect\$4 vot\$4) and (groups clusters member\$3)).ab. and print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:24
L5	111	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with (manag\$4 configur\$4)) and (groups clusters member\$3) and print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:24
L6	18	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with (manag\$4 configur\$4)) and (groups clusters member\$3) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:24
L7	3	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with (manag\$4 configur\$4)) same (groups clusters member\$3) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:27
L8	0	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with server\$1 with (manag\$4 configur\$4)).ab. and print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:27

L9	0	"709".ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) near4 web near3 server\$1 near3 (manag\$4 configur\$4)) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:28
L10	20	"709".ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with server\$1 near3 (manag\$4 configur\$4)) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:28
L11	33	"709".ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with server\$1 with (manag\$4 configur\$4)) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:28
L12	6	"709".ccls. and ((configur\$ near2 web near3 (server node host computer) same (groups clusters))) and print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:28
L13	0	"709".ccls. and ((configur\$ near2 web near3 (server node host computer) same (groups clusters))) same printer and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:28
L14	0	"709".ccls. and ((configur\$ near2 web near3 (server node host computer) same (groups clusters))) same print\$ and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:29
L15	0	"709".ccls. and ((configur\$ near2 web near3 (server node host computer) same (groups clusters))) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:29
L16	3	"709".ccls. and ((configur\$ with web with (server node host computer) same (groups clusters))) same print\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:29
L17	3	"709".ccls. and ((configur\$ with web with (server node host computer) same (groups clusters))) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:29

L18	38	"709".\$ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3) same peripheral) and print\$4 and (@ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:30
L19	38	"709".\$ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3) same peripheral) and print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:30
L20	7	"709".\$ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3) same peripheral) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:30
L21	4	"709".\$ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3) with peripheral) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:30
L22	22	((group\$1 with (manag\$4 configur\$4 coordinator\$3) with peripheral\$1)) same print\$4 and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:31
L23	0	((group\$1 with (manag\$4 configur\$4 coordinator\$3) with peripheral\$1)) same print\$4 and url and (@ad<="20010807" @ad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:32
L25	0	((disabl\$4 same (Parallel) with manager\$5) same print\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:32
L26	1	((select\$4 vot\$4) near5 managing near4 (device computer peripheral)) same speed same print\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:32
L27	1	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral)) same CPU and print\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:33
L28	20	((select\$4 vot\$4)with managing adj2 (device computer peripheral) same (memory bandwidth load)) and print\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:33

L29	28	((select\$4 vot\$4)adj4 manage\$4 same (memory bandwidth)).ab. and print\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:34
L30	1	(select\$4 near2 manage\$4 same compar\$4 near3 (memory bandwidth)) and print\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:34
S1	4	((("6636983") or ("5237693")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 11:05
S2	160247	((select\$3 choos\$3 vot\$4) and (configur\$4 manag\$4) and (group\$1 cluster\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 11:07
S3	1979	((select\$3 choos\$3 vot\$4) and (configur\$4 manag\$4) and (group\$1 cluster\$1)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 13:53
S4	62	"709"/\$.ccls. and ((select\$3 choos\$3 vot\$4) and (configur\$4 manag\$4) and (group\$1 cluster\$1)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 08:20
S5	2	("6725264").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 13:51
S6	2	("6993587").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 13:51
S7	176	"709"/\$.ccls. and (manag\$4 configur\$4).ti. and (select\$4 choos\$3 elect\$4 vot\$4).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:55
S8	176	"709"/\$.ccls. and (manag\$4 configur\$4).ti. and (select\$4 choos\$3 elect\$4 vot\$4).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 13:55
S9	19	"709"/\$.ccls. and (manag\$4 configur\$4).ti. and ((select\$4 choos\$3 elect\$4 vot\$4) and (groups clusters member\$3)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:54

S10	221	"709".ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with (manag\$4 configur\$4)) and (groups clusters member\$3) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:56
S11	29	"709".ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with (manag\$4 configur\$4)) same (groups clusters member\$3) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:57
S12	122	"709".ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with server with (manag\$4 configur\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:45
S13	6	"709".ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with server\$1 with (manag\$4 configur\$4)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:00
S14	10	"709".ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) near4 web near3 server\$1 near3 (manag\$4 configur\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:02
S15	405	"709".ccls. and ((configur\$ near2 web near3 (server node host computer))) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:03
S16	9	"709".ccls. and ((configur\$ near2 web near3 (server node host computer) with (cluster groups))) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:13
S17	9	"709".ccls. and ((configur\$ near2 web near3 (server node host computer))) .ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:18
S18	26	"709".ccls. and ((configur\$ near2 web near3 (server node host computer) same (groups clusters))) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:40
S19	2	("6397245").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 15:44
S20	2	("6636983").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 15:46

S21	2	("5237693").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:43
S22	2	("20030200267").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:44
S23	2	("6327656").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:45
S24	2	("5452099").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:46
S25	2	("20020138769").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:47
S26	2	("5452099").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:47
S27	2	("6886095").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:12
S28	2	("20030033533").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:13
S29	2	("20020085579").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:14
S30	2	("20020116608").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:15
S31	2	("20020042877").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:15

S32	2	("6963971").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:16
S33	2	("20050005124").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:16
S34	2	("6327656").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:31
S35	2	("20020112030").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:33
S36	4	((("6854034") or ("6282197")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:34
S37	2	("6301605").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:34
S38	2	("6,745,240").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 09:10
S39	2	("6,381,635").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 09:10
S40	5017	"709".\$ccls. and ((select\$4 choos \$3 elect\$4 vot\$4) with (manag \$4 configur\$4 coordinator\$3)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:46
S41	67	"709".\$ccls. and ((select\$4 choos \$3 elect\$4 vot\$4) with (manag \$4 configur\$4 coordinator\$3) same peripheral) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:47
S42	34	"709".\$ccls. and ((select\$4 choos \$3 elect\$4 vot\$4) with (manag \$4 configur\$4 coordinator\$3) with peripheral) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:52

S43	0	((select\$4 choos\$3 elect\$4 vot\$4) near4 (manag\$4 configur\$4 coordinator\$3) with (group\$1 near2 peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:52
S44	0	((select\$4 choos\$3 elect\$4 vot\$4) near4 (manag\$4 configur\$4 coordinator\$3) same(group\$1 near2 peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:53
S45	5	((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3) same(group\$1 near2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:58
S46	45	((group\$1 with (manag\$4 configur\$4 coordinator\$3) near4 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:58
S47	23	((group\$1 with (manag\$4 configur\$4 coordinator\$3) near2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:32
S48	0	((group\$1 with (manager) near2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 22:05
S49	190	((manager) near2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 22:05
S50	30	((manager) adj1 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 22:05
S51	13	((group\$1 with (manag\$4 configur\$4 coordinator\$3) adj2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:45
S52	336	((manag\$4 configur\$4 coordinator\$3) adj2 peripheral\$1).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:45
S53	5	((manager) adj2 peripheral\$1).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 10:55

S54	47	((manage\$4 with centraliz\$4 with peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 10:59
S55	0	((manage\$4 with centraliz\$4 with joystick\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:00
S56	0	((manage\$4 with joystick\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:00
S57	0	((manage\$4 with join near2 stick \$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:00
S58	2	((control\$4 with join near2 stick \$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:00
S59	405	((manag\$4 with removable)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:01
S60	32	((manag\$4 with central\$4 with removable)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:10
S61	553	((manag\$4 adj2 peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:11
S62	118	((manag\$4 adj2 peripheral)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:19
S63	28	((manag\$4 adj2 peripheral)).ti. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:35
S64	4	((central\$4 with manag\$4 adj2 peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:38

S65	596	((centrali\$4 with peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:38
S66	37	((centrali\$4 with peripheral with management\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:39
S67	9	((centrali\$4 with peripheral with management\$1)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:42
S68	14	((peripheral\$1 with management \$1 near2 server)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 16:28
S69	0	("20030212759").PN.	USPAT; USOCR	OR	OFF	2007/11/27 16:28
S70	1	("20030212759").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:28
S71	1	("20020124249").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:29
S72	1	("7028072").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:30
S73	1	("20020120498").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:30
S74	1	("20020065718").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:30
S75	4	"709"/\$.ccls. and (mobile with manage\$4 with peripheral\$3) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 08:23
S76	74	(mobile with manage\$4 with peripheral\$3) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:10
S77	13	(mobile with manage\$4 with peripheral\$3).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 08:24
S78	0	("20030026289").PN.	USPAT; USOCR	OR	OFF	2007/11/28 16:58
S79	1	("20030026289").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 16:58
S80	1	("6735621").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 16:59

S81	1	("6741687").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 17:00
S82	0	("20010087693").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 17:00
S83	0	("20010087693").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 17:00
S84	0	("20010087693").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:00
S85	2	("20020087693").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:01
S86	2	("20040008837").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:02
S87	2	("5717745").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:02
S88	0	("20040071099").PN.	USPAT; USOCR	OR	OFF	2007/11/29 08:51
S89	1	("20040071099").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 08:52
S90	1	("7016306").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 16:48
S91	1	("6735621").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 16:49
S92	1	("20030026289").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 16:49
S93	1	("6745240").PN.	USPAT; USOCR	OR	OFF	2007/11/30 09:09
S94	230	((manage\$4 near2 server\$1) with URI\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:11
S95	3	((manage\$4 near2 server\$1) with URI\$4) with groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:12

S96	2	((manage\$4 adj2 server\$1) with URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:13
S97	0	((manage\$4 adj2 node) with URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:13
S98	0	((manage\$4 adj2 node) same URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:13
S99	102	((manager) same URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:14
S100	29	((manager)with URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:19
S101	0	((admini\$6)with URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:19
S102	29	((admini\$6)with URI\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:19
S103	16	((admini\$6)with URI\$4)and (subnets groups) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:26
S104	80	(assign\$4 with (URLs WWW\$4) with (administrator\$3 adminis\$5 configur\$4 managers manag\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:47
S105	49	(assign\$4 with (URLs WWW\$4) with (administrator\$3 adminis\$5 configur\$4 managers manag\$4)) and (groups subnets) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:13
S106	8	((if determin\$3 discover\$4 check\$4) with (parralel\$3 double near2 manag\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:14

S107	7	((if determin\$3 discover\$4 check\$4) with ((parallel\$3 double near2 manag\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:23
S108	3	((disable with (parallel\$3 double \$3) with manag\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:40
S109	1	("6185726").PN.	USPAT; USOCR	OR	OFF	2007/11/30 11:41
S110	1	("6745240").PN.	USPAT; USOCR	OR	OFF	2007/11/30 11:47
S111	1080	(manager near2 (copy fax\$4 printer\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:48
S112	1	(manager adj1 (copy fax\$4 printer\$1) near2 (machine\$3 devices)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:49
S113	1	("6,990,591").PN.	USPAT; USOCR	OR	OFF	2007/12/11 07:51
S114	52	detect\$3 with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:56
S115	0	configur\$3 with detect\$3 with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:56
S116	0	configur\$3 same detect\$3 with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:56
S117	39	configur\$3 and detect\$3 with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:58
S118	0	configur\$3 and detect\$3 with Duplicate near1 managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:58

S119	4	configur\$3 and Duplicate near1 managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:59
S120	46	configur\$3 and Duplicate near3 managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:01
S121	0	configur\$3 and if with Duplicate near3 managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:01
S122	0	configur\$3 and if with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:02
S123	0	configur\$3 and if with Duplicate and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:02
S124	0	configur\$3 same Duplicate with manager\$1 with controll\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:02
S125	1	configur\$3 same Duplicate with manager\$1 same controll\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:03
S126	5	configur\$3 same Duplicate near1 controll\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:06
S127	199	duplicate\$3 near2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:06
S128	5	(detect\$4 recogniz\$4) with duplicate\$3 near2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:09
S129	45	(detect\$4 recogniz\$4) same duplicate\$3 near2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:16

S130	2	(detect\$4 recogniz\$4) same duplicate\$3 adj1 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:09
S131	2	(detect\$4 recogniz\$4) same duplicate\$3 adj2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:10
S132	28023	(detect\$4 recogniz\$4) same duplicate\$3 S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:10
S133	199	duplicate\$3 near2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:16
S134	17	duplicate\$3 adj1 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:28
S135	164702	(duplicate\$3 with manag\$4 disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:29
S136	1	(duplicate\$3 with manag\$4 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:29
S137	349	(duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:29
S138	2	(duplicate\$3 with disabl\$4 with configur\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:31
S139	349	(duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:31
S140	1337402	configu\$4 wiht(duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:31

S141	2	configu\$4 with (duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:31
S142	9	configu\$4 same (duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:36
S143	0	(duplicate\$3 near2 (manager\$1 controller\$1)) with disabl\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:37
S144	8	(duplicate\$3 near44 (manager\$1 controller\$1)) with disabl\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:39
S145	0	(eleminat\$4 with duplicate\$3 near2 (manager\$1 controller\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:40
S146	22051	(disabl\$4 with (second extra)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:41
S147	396	(disabl\$4 with (second extra) near2 process\$4)and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:41
S148	161	(disabl\$4 with (second extra) near2 process\$4) and configur\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:51
S149	1	("5,844,326").PN.	USPAT; USOCR	OR	OFF	2007/12/11 08:51
S150	0	(disabl\$4 with (parralel\$)) and configur\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:52
S151	654	(disabl\$4 with (Parallel)) and configur\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:52

S152	1	(disabl\$4 with (Parallel) with manager) and configur\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:53
S153	2	(disabl\$4 with (Parallel) with manager\$) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:54
S154	4	(disabl\$4 same (Parallel) with manager\$) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:55
S155	447	(disabl\$4 near3 (Parallel)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:55
S156	1	(disabl\$4 near3 (Parallel)) same manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:56
S157	5	(disabl\$4 with(Parallel)) same manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:58
S158	43	(disabl\$4 with(duplicat\$4)) same manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:58
S159	6	(disabl\$4 with(duplicat\$4)) with manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:03
S160	93	(disabl\$4 near1 manag\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 12:48
S161	1	("6.970,919").PN.	USPAT; USOCR	OR	OFF	2007/12/11 13:33
S162	1	("20020009136").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 13:33
S163	0	("2003011296").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 13:34
S164	1	("20030110296").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 13:34
S165	1	("6304573").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 13:35

S166	1	("6215907").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 13:35
S167	0	((image adj2 device\$1) with configur\$ with manager same groups) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 16:01
S168	25	((image adj2 device\$1) same configur\$ with manager) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 16:01
S169	0	((image adj2 device\$1) same configur\$ with manager).ab. and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 16:01
S170	15	((image adj2 device\$1) with configur\$ with manager) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 16:02
S171	1	("20050251569").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 22:16
S172	1	("20050251569").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 06:17
S173	110	(disabl\$4 near1 manag\$4) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:56
S174	8	(disabl\$4 with(duplicat\$4)) with manag\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:57
S175	46	(disabl\$4 with(duplicat\$4)) same manag\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:57
S176	5	(disabl\$4 with(Parallel)) same manag\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:57
S177	1	(disabl\$4 near3 (Parallel)) same manag\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:57

S178	482	(disabl\$4 near3 (Parallel)) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:58
S179	4	(disabl\$4 same (Parallel) with manager\$) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:58
S180	2	(disabl\$4 with (Parallel) with manager\$) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:58
S181	181	(disabl\$4 with (second extra) near2 process\$4) and config\$3 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:58
S182	7	(duplicate\$3 near44 (manager \$1 controller\$1)) with disabl\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:59
S183	243	duplicate\$3 near2 manag\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:59
S184	50	(detect\$4 recogniz\$4) same duplicate\$3 near2 manag\$4 and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 15:59
S185	82	configur\$3 and Duplicate near3 managers and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 16:00
S186	10	((central\$4 with peripheral with management\$1)).ab. and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 16:00
S187	54	"709".\$ccis. and ((configur\$ near2 web near3 (server node host computer) same (groups clusters))) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 16:00

S188	11	"709"\$\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) near4 web near3 server\$1 near3 (manag\$4 configur\$4)) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 16:01
S189	23	"709"\$\$.ccls. and (manag\$4 configur\$4).ti. and ((select\$4 choos\$3 elect\$4 vot\$4) and (groups clusters members\$3)).ab. and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 16:01
S190	76	"709"\$\$.ccls. and ((select\$3 choos\$3 vot\$4) and (configur\$4 manag\$4) and (group\$1 cluster \$1)).ab. and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 16:01
S191	221	"709"\$\$.ccls. and (manag\$4 configur\$4).ti. and (select\$4 choos\$3 elect\$4 vot\$4).ab. and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 16:02
S192	221	"709"\$\$.ccls. and (manag\$4 configur\$4).ti. and (select\$4 choos\$3 elect\$4 vot\$4).ab. and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 16:02
S193	0	("20020087728").PN.	USPAT; USOCR	OR	OFF	2008/06/22 19:39
S194	1	("20020087728").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 19:39
S195	1	("20030110299").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 19:41
S196	1	("20020057446").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 19:41
S197	1	("20020147774").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 19:46
S198	1	("20020138628").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 19:46
S199	0	("2003077206").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 19:47
S200	1	("20030177206").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 19:47
S201	1	("20020057446").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/22 22:28
S202	1	("6,745,240").PN.	USPAT; USOCR	OR	OFF	2008/12/05 13:38
S203	11429	"709"\$\$.ccls. and (select\$4 same manager same memory bandwidth) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:48

S204	642	((select\$4 cdis. and (select\$4 same manager same (memory bandwidth)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:48
S205	0	((select\$4 cdis. and (select\$4 near2 manage\$4 same compar\$4 near3 (memory bandwidth)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:48
S206	11	((select\$4 near2 manage\$4 same compar\$4 near3 (memory bandwidth)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:49
S207	1125	((select\$4 vot\$4)adj4 manage\$4 same (memory bandwidth)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:51
S208	181	((select\$4 vot\$4)adj4 manage\$4 same (memory bandwidth)).ab. and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:51
S209	934545	((select\$4 vot\$4)adj4 managing (device computer) same (memory bandwidth load)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:54
S210	1	((select\$4 vot\$4)adj4 managing adj2 (device computer) same (memory bandwidth load)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:54
S211	1	((select\$4 vot\$4)adj4 managing adj2 (device computer peripheral) same (memory bandwidth load)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:55
S212	53	((select\$4 vot\$4)with managing adj2 (device computer peripheral) same (memory bandwidth load)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:55
S213	5	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) same (memory bandwidth load)) and (@ad<="20010807" @rlad<="20010807"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:56

S214	0	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) and comparison with (memory bandwidth load)) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:00
S215	0	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) same comparison) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:00
S216	59	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:00
S217	3	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral)) same memory and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:01
S218	4	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) same CPU and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:01
S219	3	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) same load and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:02
S220	0	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) same capacity and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:03
S221	2	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) same capacity and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:03
S222	0	((select\$4 vot\$4) near5 managing adj2 (device computer peripheral) same speed and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:04
S223	6	((select\$4 vot\$4) near5 managing near4 (device computer peripheral) same speed and (@ad<="20010807" @rlad<="20010807")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:04

S224	1	("20050251569").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/05 17:30
S225	1	("6,745,240").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/05 17:30
S226	1	("20020062270").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/12 16:11

5/ 8/ 2009 10:34:44 AM

C:\Documents and Settings\ltruong6\My Documents\EAST\Workspaces\09922837.wsp